

RECYCLING
ENMA

Excellence in Engineering

EnMa

CG

EnMa CG Series

600 1000 1300

Crusher + Granulator

Two-in-one Machine



EnMa CG Series

600 1000 1300

Crusher + Granulator Two-in-one Machine




Innovation in the recycling and processing of lump materials and large-volume materials.

EnMa CG series crusher+granulator machine can recycle a variety of plastics, films, heavy type plastic blocks or lightweight oversized containers, all of which can be cut to fine particles for further processing.


It occupies a small space and is easy for customers to install at factories. At the same time, the closed integrated two-step recycling system effectively saves space and reduces the risk of contamination compared with the two-step recycling system connected by traditional conveyor belt.

Highlights

- Compact mechanical design, small space occupied
- Modular combination
- Close type integrated design, reducing material pollution
- Automatic discharge device
- Driving and vibration absorption



Patent blade



Compact mechanical design



Rotor protection



Safety



Pushing device

EnMa CG Series

General technical features

| Model | | EnMa CG600 | EnMa CG1000 | EnMa CG1300 |
|----------------------------------|------------------------------|----------------|----------------|----------------|
| Main machine dimension(LxWxH,mm) | | 2000x1400x2650 | 2600x2300x3600 | 2600x2600x3800 |
| Shredding part | Shredding chamber(mm) | 600x550 | 1000x700 | 1300x700 |
| | Diameter of rotor(mm) | 260 | 400 | 400 |
| | Power installed(KW) | 18.5 | 45 | 45 |
| | Number of rotor blade (pcs) | 28 | 69 | 93 |
| | Number of stator blade (pcs) | 2x2 | 3x2 | 4x2 |
| | Screen(mm) | 50 | 50 | 50 |
| Granulating part | Diameter of rotor(mm) | 300 | 300 | 300 |
| | Power installed(KW) | 15 | 22 | 30 |
| | Number of rotor blade (pcs) | 3x2 | 3x3 | 3x4 |
| | Number of stator blade (pcs) | 2x1 | 2x2 | 2x2 |
| | Screen(mm, option) | 10 | 10 | 10 |

Mission:
Convert waste into sustainable energy
or valuable materials

www.enma.fr
info@enma.fr

ENMA reserves the right of final instruction and modification for all the content.
All the products pictures, appearance, technical parameters and function description shall refer
to the physical objects. If there is any configuration and parameter adjustment due to technical
updates, you will not be notified additionally.